

**FIRE DEPARTMENT**  
222 PLEASANT HILL CHURCH RD,  
NE  
WINDER, GA 30680  
(770) 307-2987  
[WWW.BARROWGA.ORG](http://WWW.BARROWGA.ORG)



**BRETT SKINNER**  
FIRE CHIEF  
[BSKINNER@BARROWGA.ORG](mailto:BSKINNER@BARROWGA.ORG)

**JESSIE KNIGHT**  
FIRE MARSHAL  
[JKNIGHT@BARROWGA.ORG](mailto:JKNIGHT@BARROWGA.ORG)

### **Commercial Burn Permit Regulations:**

**Open burning of vegetative material for the purpose of land clearing using an air curtain destructor provided the following conditions are met:**

1. The location of the air curtain destructor is at least 300 FT. from any structure or public road.
2. Only wood waste consisting of trees, logs, large brush and stumps, which are relatively free of soil, are burned in the air curtain destructor.
3. Tires or other rubber products, plastics, heavy oils or asphalt based or impregnated materials are not used to start or maintain the operation of the air curtain destructor.
4. The air curtain destructor is constructed, installed and operated in a manner consistent with good air pollution control practice for minimizing missions of fly ash and smoke.
5. The cleaning out of the air curtain destructor pit is performed in a manner to prevent fugitive dust.
6. It is understood that even with the proper permit, the property owner holds the ultimate responsibility for the fire conditions, and abide by all codes, ordinances, and laws.
7. Should the winds exceed 10mph continuous, or gust up to 15mph or greater all outdoor burning should be extinguished.